



LUWAS 



Light Up
Life's Moments with
LUWAS LED.



About us:

Welcome to LUWAS, Your Premier Lighting Solutions Provider

Who We Are:

LUWAS is a leading provider of innovative lighting solutions, dedicated to transforming spaces with cutting-edge and energy-efficient lighting technologies. With a commitment to quality, sustainability, and customer satisfaction, we have emerged as a trusted partner for residential, commercial, and industrial lighting needs.

Our Mission:

At LUWAS, Our mission is to illuminate your world with brilliance and style. We strive to enhance your spaces, create memorable experiences, and contribute to a sustainable future through our state-of-the-art lighting solutions.

Our Product Range:

Explore our extensive collection of lighting products, including but not limited to:

LED Lighting

Architectural Lighting / Residential and Commercial Fixtures

Outdoor and Landscape Lighting / Industrial and Specialty Lighting



NEW

1-14
MAGNETIC LIGHTS

15
DOWN LIGHT

LUWAS 

16-42
COB LIGHTS

43-50
PANEL LIGHTS

51-55
SPOT LIGHTS

56-58
LINEAR

59-64
CYLINDER

65-66
ROPE LIGHTS

67-72
TRACK LIGHTS



73-85
WALL LIGHTS

86-97
OUTDOOR

98-102
BOLLARD

103
FLOOD LIGHT

LUWAS



MAGNETIC LIGHTS

TRACK RAIL




Conceal

Size : 1 mtr & 2 mtr
Body Color : white & black


Surface

Size : 1 mtr & 2 mtr & 3 mtr
Body Color : white & black

Surface



Conceal






L Splicer



Cutout Splicer




Cross Splicer

JOINTER


PC Material



T Splicer



Horizontal 90°
Angle




I Splicer



LUWAS 

MAGNETIC LINEAR

Item No : LW2002A-C1-6-6W-40K-W
Power : 6W / 12W
Voltage : DC 48V
Dimension : 120x24x26mm / 236x24x26mm
Body Color : BK+BK / WH+BK
CRI : >90
Beam Angle : 36°



3K 4K



MAGNETIC GRID LIGHT



Item No:	:	2002A-D2-3-6W-40K-W
Power	:	6W / 12W
Dimension	:	120x24x26mm / 236x24x36mm
Voltage	:	DC-48V
Body Color	:	WH+BK / BK+BK
CRI	:	>90
Beam Angle	:	90°/90°

3K 4K




LUWAS 



MAGNETIC
GRID LIGHT

LUWAS



MAGNETIC GRID LIGHT



Power	:	D1-6W / D1-12W
Dimension	:	120x24x26mm / 236x24x36mm
Input Voltage	:	48V
Body Color	:	WH+BK / BK+BK
Beam Angle	:	90°
CRI	:	>90

3K

4K



MAGNETIC TRACK LIGHT

Power	:	A2-12W / A2-18W / A2-24W
Dimension	:	45x103mm / 55x114mm / 65x133mm
Voltage	:	48V DC
Beam Angle	:	24°
Body Color	:	BK / WH
CRI	:	>90
Rotation	:	360°

3K 4K



LUWAS



MAGNETIC TRACK LIGHT



Power	:	A7-8W / A7-18W
Dimension	:	80x120mm / 60x111mm
Voltage	:	48V
Body Color	:	BK / WH
Beam Angle	:	24°
Rotation	:	360°

3K 4K


MAGNETIC CYLINDER

Power : E1-8W / E1-18W
Dimension : 60x111mm
Input Voltage : 48V
Body Color : WH/BK
Angle : 24°
Rotation : 360°

3K

4K






MAGNETIC PROFILE

Power	:	D3-12W / D3-24W / D3-30W
Dimension	:	300x24x25mm / 600x24x25mm / 900x24x25mm
Voltage	:	48V
Beam Angle	:	110°
Body Color	:	BK / WH
CRI	:	>90






MAGNETIC CHOCK

Item Code : LW2002A-48VF-100W
Power : 100W
Dimension : 285x26X26.5mm
Body Color : WH / BK
Material : PC



MAGNETIC PANEL

LUWAS 





MAGNETIC PANEL

Power : G1-5W
Dimension : 180x35mm
Voltage : 48V
Body Color : BK / WH
CRI : >90
Material : Aluminum
Beam Angle : 110°

4K




EVO COB

Power	:	7W / 12W
Cut Size	:	55mm / 75mm
Body Size	:	60x56mm / 80x62mm
Input Voltage	:	AC 100-240V
Body Color	:	BK / WH
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°


3K 4K 6K



LUWAS 



ORB COB



Power	:	6W / 12W
Input Voltage	:	AC 220-240V 50/60Hz
Cut Size	:	55x55mm / 55x155mm
Body Size	:	65x65xH52mm / 65x126xH52mm
Body Color	:	WH+WH / WH+BK / BK+BK
Material	:	Aluminum
CRI	:	90
IP Rating	:	IP20
Beam Angle	:	36°



4K



LUWAS



ORB COB




Power	:	18W / 24W
Input Voltage	:	AC 220-240V 50/60HZ
Cut Size	:	55x175mm / 115x155mm
Body Size	:	65x187xH52mm / 126x126xH52mm
Body Color	:	WH+WH / WH+BK / BK+BK
Material	:	Aluminum
CRI	:	90
IP Rating	:	IP20
Beam Angle	:	36°

4K


ORB(B) COB

Power	:	12W / 24W
Input Voltage	:	AC 220-240V 50/60Hz
Cut Size	:	75x75mm / 75xL158mm
Body Size	:	85x85xH60mm / 85xL167xH60mm
Body Color	:	WH+WH / WH+BK / BK+BK
Material	:	Aluminum
CRI	:	90
IP Rating	:	IP20
Beam Angle	:	36°

4K



LUWAS 



LUWAS POP UP




LUWAS 

LUWAS POP UP

Power	:	7W / 12W
Dimension	:	53x75mm / 100x126mm
Cutout	:	53mm / 90mm
Input Voltage	:	AC 100-240V
Body Color	:	WH / BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K 4K 6K



LUWAS



ORB POP UP



ORB POP UP



Power	:	1 EYE-10W / 2 EYE-20W / 3 EYE-30W
Dimension	:	85x95mm / 157x85x95mm / 230x85x95mm
Cut Out	:	75mm / 146x75mm / 220x75mm
Input Voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	BK+WH / BK+BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K

4K



LUWAS




GLEAM COB

Cob Leds Are Known For Producing A High-intensity, Bright Light. They Are Often Used In Applications Where A Strong And Focused Illumination Is Required.

Cob Leds Are Available In Various Color Temperatures, Providing Options For Warm White, Cool White, Or Daylight Lighting.




GLEAM COB (ROUND)



Power	:	6W / 12W
Input Voltage	:	AC 100-240V
Cut Size	:	50mm / 70mm
Body Color	:	WH+BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	24°

3K 4K

LUWAS 



CLEAMCOR

GLEAM COB (SQUARE)

Power	:	7W / 12W
Input Voltage	:	AC 100-240V
Cut Size	:	45x45mm / 65x65mm
Body Color	:	WH + BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	24°

3K 4K



LUWAS 



ARCH COB LIGHT



ARCH COB LIGHT

Power	:	12W / 24W / 36W
Dimension	:	70x98mm / 95x130mm / 110x140mm
Cut Out	:	85mm / 115mm / 125mm
Input Voltage	:	AC 100-240V
Body Color	:	BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K 4K 6K



LUWAS 




*Reflection
Cob*




REFLECTION COB

Power	:	7W / 12W / 18W
Dimension	:	D45xH50mm / D60xH67mm / D72xH75mm
Cutout	:	38mm / 52mm / 65mm
Input Voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	GUN BLACK + BLACK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K 4K




CTO



SERIES



CTO SERIES

Power	:	12W / 18W
Dimension	:	82x64mm / 105x78mm
Cut Out	:	75mm / 95mm
Input Voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	WH+BK / BK+BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°




3K 4K 6K

YORI SERIES




COB LIGHT



YORI SERIES

Power	:	7W / 12W / 18W
Dimension	:	60x42mm / 80x50mm / 100x62mm
Cut Out	:	55mm / 75mm / 95mm
Input Voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	WH / BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°



3K 4K

LUWAS



GLOBE SPOT LIGHT



Power	:	10W
Input Voltage	:	AC 100-240V
Cut Size	:	70mm
Body Color	:	WH+BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°



QUAD SPOT LIGHT

Power	:	24W / 36W
Input Voltage	:	AC 100-240V
Body Color	:	BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°








LUWAS 

ULTIMA
COR



ULTIMA COB

Power	:	5+2W / 10+3W
Dimension	:	67x52mm / 93x85mm
Cut Out	:	55mm / 75mm
Input Voltage	:	AC 100-240V
Body Color	:	WH
Material	:	Aluminum
CRI	:	>80
IP Rating	:	IP20
Beam Angle	:	36°

3K + 4K

3K + 3K



LUWAS 



LW ECLIPSA COB




LW ECLIPSA COB

Power	:	7W/12W/18W
Dimension	:	68X60MM / 80X65MM / 100X65MM
Cut Out	:	50MM / 60MM / 80MM
Input Voltage	:	AC 100-240V
Body Color	:	WH
Material	:	Aluminum
CRI	:	>80
IP Rating	:	IP20
Beam Angle	:	36°



4K





LUWAS 

HINO
COB



HINO COB

Power	:	9W / 12W / 15W
Dimension	:	62x78mm / 72x78mm / 82x78mm
Cut Out	:	55mm / 65mm / 75mm
Input Voltage	:	AC 100-240V
Body Color	:	BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°



3K 4K 6K

LUWAS 



PROJECT SPOT LIGHT




PROJECT SPOT LIGHT

Item Code	:	LW-354
Power	:	7W / 12W
Dimension	:	44x65mm / 68x140mm
Cutout	:	60mm / 60mm
Input Voltage	:	AC 100-240V
Body Color	:	GUNBLACK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

4K





MINI SPOT LIGHT



Item Code : 159
Power : 3W
Dimension : D37xH28mm
Cut out : 25MM
Input Voltage : AC 100-240V
Body Color : WH / BK /
 GUN BLACK/
 ROSE GOLD

Material : Aluminum
CRI : >90
IP Rating : IP20
Beam Angle : 36°


3K 4K 6K

LUWAS 



MINI SPOT LIGHT


LUWAS 



MINI SPOT LIGHT



MINI SPOT LIGHT




Item Code	:	358
Power	:	3W
Dimension	:	D30xH18mm
Cut Out	:	25mm
Body Color	:	WH / BK / GUN BLACK/ ROSE GOLD
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°



GRACE LINEAR

Power	:	12W / 20W
Input Voltage	:	AC 100-240V
Dimension	:	137x60x55mm / 210x60x55mm
Cut Size	:	128x50mm / 205x50mm
Body Color	:	PB-BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	45°



4K



GRACE LINEAR

Power	:	16W / 36W
Input Voltage	:	AC 100-240V
Dimension	:	92x92x44mm / 132x132x44mm
Cut Size	:	84x84mm / 123x123mm
Body Color	:	WH + BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°


4K




LUWAS GRACE WALL WASHER

Power	:	12W / 20W
Dimension	:	137x60x55mm / 210x60x55mm
Cut Out	:	128x50mm / 205x50mm
Input Voltage	:	AC220-240V 50/60Hz
Body Color	:	BK
Material	:	Aluminum
CRI	:	>80
IP Rating	:	IP20
Beam Angle	:	24° / 38° / 50°

4K



LUWAS  




*Deto
Cylinder*



DETO CYLINDER

DETO CYLINDER

Power	:	8W / 15W
Dimension	:	80x96mm / 100x101mm
Input Voltage	:	AC220-240V 50/60Hz
Body Color	:	Allu+Acrylic
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	100°
	:	



3K

LUWAS



CITRA CYLINDER




CITRA
CYLINDER
Lights




CITRA CYLINDER


Power	:	7W/12W/18W
Dimension	:	58X69MM/72X77MM/85X88MM
Input Voltage	:	AC85-265V
Body Color	:	GREY
Material	:	ALLUMINIUM
CRI	:	80>
IP Rating	:	20
Beam Angle	:	36°

3K






LUWAS CYLINDER




Power	:	10W
Dimension	:	70x90mm / 78x78x90mm
Input voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	White
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

4K

LUWAS 



**LUWAS
CYLINDER**





LUWAS LUXE CYLINDER



Power	:	7W / 12W / 18W
Dimension	:	75x70mm / 115x75mm / 158x85mm
Input voltage	:	AC 90-265V
Material	:	Aluminum
Body Color	:	WH / BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	120°



GAZE CYLINDER

Power	:	8W / 15W
Dimension	:	53x65mm / 73x92mm
Input Voltage	:	AC 220-240V 50/60Hz
Body Color	:	Silver + Matt RG
Material	:	Aluminum
CRI	:	>80
IP Rating	:	IP20
Beam Angle	:	36°

3K



LUWAS 

LUMINA PANEL LIGHT






LUMINA PANEL LIGHT

Power	: 12W / 18W / 24W
Dimension	: 110x110x21.5mm / 130x130x21.5 x 160x160x21.5mm
Cut Out	: 100x100x100mm / 120x120x120mm / 145x145x145mm
Input Voltage	: AC 200-240V 50/60Hz
Body Color	: WH
Material	: Aluminum
CRI	: >70
IP Rating	: IP20
Beam Angle	: 120°

6K



LUWAS 

ORIS

PANEL LIGHT





ORIS PANEL LIGHT

Power	:	7W / 16W / 24W
Dimension	:	90x90x25mm / 120x120x25mm / 165x165x25mm
Cut Out	:	75x75mm / 100X100mm / 150X150mm
Input Voltage	:	AC85-265V-0.25A, 50Hz
Output Voltage	:	300mA/36-72V
Body Color	:	WH
Body Shape	:	RD/SQ
Material	:	Aluminum
CRI	:	>70
IP Rating	:	IP20
Beam Angle	:	120°

6K



AVVERA

SURFACE
PANEL
LIGHT

LUWAS 





AVERA SURFACE PANEL LIGHT

Power	: 18W / 24W / 32W
Dimension	: 125x40mm / 175x40mm / 225x40mm
Input Voltage	: AC85-265V-0.25A, 50Hz
Output Voltage	: 300mA/36-72V
Body Color	: WH/BL
Body Shape	: RD
Material	: Aluminum
CRI	: >70
IP Rating	: IP20
Beam Angle	: 120°

6K



LUWAS

"Illuminate
Your Path with
Light"




Pro Lux Down Light


"**DEEP DOWN LIGHT**" Conjures An Evocative Image Of Illumination That Comes From Within—whether It's A Metaphorical Light From The Depths Of One's Soul, An Inner Clarity, Or A Profound, Hidden Source Of Inspiration. This Light Could Be Subtle Yet Powerful, Penetrating Through Layers Of Complexity Or Obscurity.



PRO LUX DOWN LIGHT

Power	:	10W / 15W / 20W
Dimension	:	118x50mm / 148x52mm / 177x58mm
Cut Out	:	100mm / 125mm / 150mm
Input Voltage	:	AC 200-240V 50/60Hz
Body Color	:	WH
Material	:	Aluminum
CRI	:	>80
IP Rating	:	IP20
Beam Angle	:	36°





DOWN LIGHT

Power	:	18W / 24W / 30W
Cut Size	:	100mm / 127mm / 152 mm
Body Size	:	112x48mm / 138x48mm / 162x51mm
Input Voltage	:	AC 100-240V
Body Color	:	WH / BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	90°

4K 6K

LUWAS 



STARK
TRACK
LIGHT



LUWAS 

STARK TRACK LIGHT

Power : 30W / 50W
Input Voltage : AC 100-240V
Body Color : WH / BK
Material : Aluminum
CRI : >90
IP Rating : IP20
Beam Angle : 36°

LUWAS

STOUT TRACK LIGHT



STOUT TRACK LIGHT

REFLECTOR MODEL

Power	:	24W / 36W
Dimension	:	165x195mm / 175x195mm
Input Voltage	:	AC 100-240V
Body Color	:	BK + GREY
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K 4K 6K





STOUT TRACK LIGHT

LENS MODEL



Power	:	24W / 36W
Dimension	:	82x165x195mm / 95x175x195mm
Input Voltage	:	AC 100-240V
Body Color	:	BK + GREY
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K **4K** **6K**

3 WIRE TRACK RAIL

Power : 1 Mtr / 2 Mtr
Material : Aluminum Body
Body Color : Black





GAZE

GAZE WALL LIGHT

Power	:	1 EYE-7W / 2 EYE-14W
Input Voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	24°

3K



LUWAS



LEAN FLEX

WALL LIGHT

Power	:	7W
Input voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	WH
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	24°

3K



LUWAS LUSTRA

WALL LIGHT

Power	:	7W
Dimension	:	31x200mm / 64x196mm
Input voltage	:	AC 100-240V
Material	:	Aluminum
Body Color	:	WH / BK
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K





NIDO G2

Item Code	:	
Power	:	5W
Dimension	:	D60xH163MM
Cut out	:	-
Input Voltage	:	AC 100-240V
Body Color	:	BK/WH
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K



PANDO

Item Code	:	
Power	:	7W
Dimension	:	D45xH100MM
Cut out	:	-
Input Voltage	:	AC 100-240V
Body Color	:	GOLD
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K



LUWAS 

BLAZE 

LED

Rope Light



BLAZE ROPE LIGHT

Model No.	:	220v 2835-120 LED per Mtr.
Colour	:	WH / WW / BL / PK / NW / RD / GR / Orange / Lemon Green / GOLD / RGB / Ice Blue
Input Voltage	:	AC 220-240V 50/60Hz
Qty.	:	50 Meter/Roll
CRI	:	>80
IP Rating	:	Ip65



LUWAS 



LED POWER SUPPLY



24A LED POWER SUPPLY

2.5A 24V

Watt	:	60W Max
Input	:	176-264V~50/60Hz
Output	:	24V-2.5A
Body Colour	:	Dark Grey

5A 24V

Watt	:	120W Max
Input	:	176-264V~50/60Hz
Output	:	24V-5A
Body Colour	:	Dark Grey

10A 24V

Watt	:	240W Max
Input	:	176-264V~50/60Hz
Output	:	24V-10A
Body Colour	:	Dark Grey



LUWAS 

WATER PROOF SMPS



24A SMPS WATER PROOF

48W


Watt	:	48W
Input	:	176-264V
Dimention	:	168x40x22 mm
Body Colour	:	Grey
Material	:	Aluminium
Ip	:	67

120W

Watt	:	48W
Input	:	176-264V
Dimention	:	195x40x35 mm
Body Colour	:	Grey
Material	:	Aluminium
Ip	:	67

250W

Watt	:	250W
Input	:	176-264V
Dimention	:	215x67x41 mm
Body Colour	:	Grey
Material	:	Aluminium
Ip	:	67



LUWAS 



BULKHEAD

BULKHEAD

IP65

Power	:	12W / 20W
Input Voltage	:	AC 185-265V
Lumen	:	1800LM
Body Size	:	156x75x44mm / 235x115x48mm
Body Color	:	WHITE
Material	:	PC
CRI	:	80
IP Rating	:	IP65
Beam Angle	:	120°

3K 6K



LUWAS 

OUTDOOR

LIGHTS



LUWAS 




FOOT LIGHT


FOOT LIGHT

Power : 8020S / 8020R - 3W
Input Voltage : AC 100-240V
Body Color : BK
Material : Aluminum
IP Rating : IP65





11D



11F



11B

FOOT LIGHT

Power	:	3W
Input Voltage	:	AC 220-240V 50/60Hz
Body Size	:	42x26mm
Material	:	Aluminum
Body Color	:	BK+BK / WH+BK
CRI	:	>90

3K



OUTDOOR LIGHT




Item No : LW019B-2
Power : 2W
Body Color : WH / GREY
Waterproof : Ip65
Material : Aluminum

Item No : LW019-2
Power : 2W
Body Color : WH / GREY
Waterproof : Ip65
Material : Aluminum




3K



MINI OUTDOOR

Item Code : LW1025-6
Power : 6W
Body Color : Dark Grey
Material : Aluminum
IP Rating : IP65



3K



OUTDOOR LIGHT





Item No	:	LW021B-2
Power	:	2W
Material	:	Aluminum
Body Color	:	WH / GREY
Waterproof	:	IP65



3K



OUTDOOR LIGHT



Item No : LW027B-4
Power : 4W
Material : Aluminum
Body Color : WH / GREY
Waterproof : IP65

Item No : LW027-4
Power : 4W
Material : Aluminum
Body Color : WH / GREY
Waterproof : IP65

3K

OUTDOOR LIGHT

Item No. : LW024B-1
Power : 1W
Body Color : Grey
Ip : 65
Material : Alluminium

Item No : LW024B-2
Power : 2W
Material : Aluminum
Body Color : WH / GREY
Waterproof : IP65

Item No. : LW024-1
Power : 1W
Body Color : Grey
Ip : 65
Material : Alluminium

3K







OUTDOOR LIGHT



Item No : LW031-2
Power : 2W
Material : Aluminum
Body Color : WH / GREY
Waterproof : IP65

3K






OUTDOOR LIGHT

Item No. : LW01
Power : 3W
Body Color : Grey
Color : WW
Ip : 65
Material : Aluminium
MRP. : 980/-

Item No. : LW02-2
Power : 2X3W
Body Color : Grey
Color : WW
Ip : 65
Material : Aluminium
MRP. : 1080/-





3K

LW-2033

Power : 4W / 8W
Input Voltage : AC 100-240V
Body Color : BK
Material : Aluminum
IP Rating : IP65

3K






LW039-2

Power	:	2W
Input Voltage	:	AC 100-240V
Body Color	:	Grey
Material	:	Aluminum
IP Rating	:	IP65



LW039-4

Power : 4W
Input Voltage : AC 100-240V
Body Color : Grey
Material : Aluminum
IP Rating : IP65



3K




LW025-2



Power : 4W
Input Voltage : AC 100-240V
Body Color : Grey
Material : Aluminum
IP Rating : IP65


3K



MINI SF SPOT

Item Code : LW1068R
Power : 4W
Body Color : Black
Material : Aluminum
IP Rating : IP20

Item Code : LW1068R
Power : 4W
Body Color : Black
Material : Aluminum
IP Rating : IP20



3K



SURFACE MINI SPOT DIFFUSER




Power	:	3W
Input Voltage	:	AC 100-240V
Body Color	:	BK
Material	:	Aluminum
IP Rating	:	IP20

3K

SURFACE MINI SPOT LENSE

Power : 3W
Input Voltage : AC 100-240V
Body Color : BK
Material : Aluminum
IP Rating : IP20



3K

LUWAS



OUTDOOR LIGHT

OUTDOOR LIGHT

Item No : LW907
 Power : 10W / 20W
 Body Color : GREY
 Material : Aluminum
 IP Rating : IP65

3K



LUWAS 



OUTDOOR WALL LIGHT


IP65

Power	:	7W / 5x2W
Input Voltage	:	AC 100-240V
Cut Size	:	160x160x40mm / 90x160mm
Material	:	Aluminum
Body Color	:	LIGHT GRAY
CRI	:	>90
IP Rating	:	IP65

3K



BACK LIGHT



CYLINDER

OUTDOOR WALL LIGHT

IP65

Power	:	5W / 5x2W
Input Voltage	:	AC 100-240V
Cut Size	:	177x35mm / 160x90x35mm
Material	:	Aluminum
Body Color	:	LIGHT GRAY
CRI	:	>90
IP Rating	:	IP65

3K



SPHERE



RECTRASHINE



MINI BOLLARD

Item Code	:	LW-9760
Power	:	5W
Dimension	:	D130xH180MM
Cut out	:	-
Input Voltage	:	AC 100-240V
Body Color	:	BK
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP20
Beam Angle	:	36°

3K



MUSHROOM BOLLARD

Item Code	:	
Power	:	7W
Dimension	:	H620MM
Cut out	:	-
Input Voltage	:	AC 100-240V
Body Color	:	Stone Grey
Material	:	Aluminum
CRI	:	>90
IP Rating	:	IP65
Beam Angle	:	36°

3K

BOLLARD LIGHT

IP65

Power : 5W / 5x2W
Input Voltage : AC 100-240V
Dimension : 90x600mm / 100x230x600mm
Body Color : LIGHT GRAY
Material : ALUMINUM + GLASS
IP Rating : IP65

3K




1 EYE
BOLLARD LIGHT
(5w)



2 EYE
BOLLARD LIGHT
(5x2w)



**2 LINE
BOLLARD LIGHT
(10w)**



**4 LINE
BOLLARD LIGHT
(10w)**

BOLLARD LIGHT

IP65

Power	:	10W / 10W
Input Voltage	:	AC 100-240V
Cut Size	:	90x600mm / 100x165x600mm
Body Color	:	LIGHT GRAY
Material	:	ALUMINUM + GLASS
IP Rating	:	IP65

3K

BOLLARD LIGHT

IP65

Power	:	10W / 5W
Input Voltage	:	AC 100-240V
Cut Size	:	162x57x600mm / 100x600mm
Body Color	:	LIGHT GRAY
Material	:	ALUMINUM + GLASS / ALUMINUM + PC
IP Rating	:	IP65


3K



CURVE
BOLLARD LIGHT
(10w)



UMBRELLA
BOLLARD LIGHT
(5w)




GRACE FLOOD LIGHT

IP65

Power	: 30W / 50W / 100W / 150W / 200W
lumens	: 3000 / 5000 / 10000 / 15000 / 20000
CRI	: >80
Body Color	: LIGHT GRAY
Material	: ALUMINUM
IP Rating	: IP65

NOTES

LUWAS



LUWAS



LUWAS 



Scan Here
For Catalogue